

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name** Sodium hydroxide Standard volumetric solution 1 M (1 N)  
**Article number** LC-4856

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses** General use  
**Uses advised against** Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

#### 1.3 Details of the supplier of the safety data sheet

NeoFroxx GmbH  
Marie-Curie-Str. 3  
D-64683 Einhausen  
Germany

Telephone: +49 (6251) 989 24 - 0  
e-mail: info@neofroxx.com  
Website: neofroxx.com

**e-mail (competent person)** info@neofroxx.com (neoFroxx GmbH)

#### 1.4 Emergency telephone number

| Poison centre  |                                      |                  |           |
|----------------|--------------------------------------|------------------|-----------|
| Country        | Name                                 | Postal code/city | Telephone |
| United Kingdom | National Poisons Information Service |                  | 111       |

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class                             | Category | Hazard class and category | Hazard statement |
|---------|--|----------|---------------------------|------------------|
| 2.16    | substance or mixture corrosive to metals | 1        | Met. Corr. 1              | H290             |
| 3.2     | skin corrosion/irritation                | 1        | Skin Corr. 1              | H314             |

For full text of abbreviations: see SECTION 16.

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

##### Labelling

- Signal word danger

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### - Pictograms

GHS05



### - Hazard statements

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

### - Precautionary statements

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

P390

Absorb spillage to prevent material damage.

P501

Dispose of contents/container to industrial combustion plant.

## 2.3 Other hazards

### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

| Name of substance | Identifier  | Wt%       | Classification acc. to GHS                                       | Pictograms |
|-------------------|---|-----------|--|------------|
| sodium hydroxide  | CAS No<br>1310-73-2<br><br>EC No<br>215-185-5<br><br>Index No<br>011-002-00-6 | 10 – < 25 | Met. Corr. 1 / H290<br>Skin Corr. 1A / H314<br>Eye Dam. 1 / H318 |            |

| Name of substance | Specific Conc. Limits   | M-Factors | ATE | Exposure route |
|-------------------|---|-----------|-----|----------------|
| sodium hydroxide  | Skin Corr. 1A; H314: $C \geq 5\%$<br>Skin Corr. 1B; H314: $2\% \leq C < 5\%$<br>Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$<br>Eye Dam. 1; H318: $C \geq 2\%$<br>Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$ | -         | -   |                |

For full text of abbreviations: see SECTION 16.

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains

#### Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) |                  |           |            |           |             |            |              |                 |                   |          |           |
|--|------------------|-----------|------------|-----------|-------------|------------|--------------|-----------------|-------------------|----------|-----------|
| Country  | Name of agent    | CAS No    | Identifier | TWA [ppm] | TWA [mg/m³] | STEL [ppm] | STEL [mg/m³] | Ceiling-C [ppm] | Ceiling-C [mg/m³] | Notation | Source    |
| GB   | sodium hydroxide | 1310-73-2 | WEL        |           |             |            | 2            |                 |                   |          | EH40/2005 |

#### Notation

Ceiling-C  
STEL

ceiling value is a limit value above which exposure should not occur  
short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours  
time-weighted average (unless otherwise specified)

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

##### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### - Type of material

NBR: acrylonitrile-butadiene rubber

##### - Material thickness

min. 0,11 mm

##### - Breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

P2 (filters at least 94 % of airborne particles, colour code: White).

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |                 |
|--|-----------------|
| Physical state   | liquid          |
| Colour   | not determined  |
| Odour  | characteristic  |
| Melting point/freezing point                             | not determined  |
| Boiling point or initial boiling point and boiling range | not determined  |
| Flammability   | non-combustible |
| Lower and upper explosion limit                          | not determined  |
| Flash point  | not determined  |
| Auto-ignition temperature                                | not determined  |
| Decomposition temperature                                | not relevant    |

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

|                            |                |
|----------------------------|----------------|
| <b>pH (value)</b>          | not determined |
| <b>Kinematic viscosity</b> | not determined |
| <b>Solubility(ies)</b>     | not determined |

### Partition coefficient

|   |                                   |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|

|                 |                |
|-----------------|----------------|
| Vapour pressure | not determined |
|-----------------|----------------|

### Density and/or relative density

|                         |   |
|-------------------------|---|
| Density                 | not determined                                |
| Relative vapour density | information on this property is not available |

|                          |                       |
|--------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|--------------------------|-----------------------|

## 9.2 Other information

|   |                                    |
|---|------------------------------------|
| <b>Information with regard to physical hazard classes</b> | there is no additional information |
| <b>Other safety characteristics</b>                       | there is no additional information |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". Substance or mixture corrosive to metals.

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

##### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

##### Classification acc. to GHS

##### Acute toxicity

Shall not be classified as acutely toxic.

##### Skin corrosion/irritation

Causes severe skin burns and eye damage.

##### Serious eye damage/eye irritation

Causes serious eye damage.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.

##### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

##### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

##### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagegings

It is a dangerous waste; only packagegings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

### 14.1 UN number or ID number

|           |         |
|-----------|---------|
| ADR/RID   | UN 1824 |
| IMDG-Code | UN 1824 |
| ICAO-TI   | UN 1824 |

### 14.2 UN proper shipping name

|           |                           |
|-----------|---------------------------|
| ADR/RID   | SODIUM HYDROXIDE SOLUTION |
| IMDG-Code | SODIUM HYDROXIDE SOLUTION |
| ICAO-TI   | Sodium hydroxide solution |

### 14.3 Transport hazard class(es)

|           |   |
|-----------|---|
| ADR/RID   | 8 |
| IMDG-Code | 8 |
| ICAO-TI   | 8 |

### 14.4 Packing group

|           |    |
|-----------|----|
| ADR/RID   | II |
| IMDG-Code | II |
| ICAO-TI   | II |

### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.



## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### Information for each of the UN Model Regulations

#### **Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information**

|                     |    |
|---------------------|----|
| Classification code | C5 |
| Danger label(s)     | 8  |



|                               |     |
|-------------------------------|-----|
| Excepted quantities (EQ)      | E2  |
| Limited quantities (LQ)       | 1 L |
| Transport category (TC)       | 2   |
| Tunnel restriction code (TRC) | E   |
| Hazard identification No      | 80  |
| Emergency Action Code         | 2R  |

#### **Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information**

|                     |    |
|---------------------|----|
| Classification code | C5 |
| Danger label(s)     | 8  |



|                          |     |
|--------------------------|-----|
| Excepted quantities (EQ) | E2  |
| Limited quantities (LQ)  | 1 L |
| Transport category (TC)  | 2   |
| Hazard identification No | 80  |

#### **International Maritime Dangerous Goods Code (IMDG) - Additional information**

|                  |   |
|------------------|---|
| Marine pollutant | - |
| Danger label(s)  | 8 |



|                          |              |
|--------------------------|--------------|
| Special provisions (SP)  | -            |
| Excepted quantities (EQ) | E2           |
| Limited quantities (LQ)  | 1 L          |
| EmS                      | F-A, S-B     |
| Stowage category         | A            |
| Segregation group        | 18 - Alkalis |

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Special provisions (SP) A3

Exempted quantities (EQ) E2

Limited quantities (LQ) 0,5 L

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

###### Deco-Paint Directive

|             |      |
|-------------|------|
| VOC content | 20 % |
|-------------|------|

###### Industrial Emissions Directive (IED)

|             |      |
|-------------|------|
| VOC content | 20 % |
|-------------|------|

###### Water Framework Directive (WFD)

| List of pollutants (WFD) |        |           |         |
|--------------------------|--------|-----------|---------|
| Name of substance        | CAS No | Listed in | Remarks |
| sodium hydroxide         |        | a)        |         |

##### Legend

A) Indicative list of the main pollutants

##### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

##### National regulations (GB)

##### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

##### Restrictions according to GB REACH, Annex 17

| Dangerous substances with restrictions (GB REACH, Annex 17) |  |        |    |
|---|--|--------|----|
| Name of substance   | Name acc. to inventory   | CAS No | No |
| sodium hydroxide  | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC |        | 3  |

##### National inventories

| Country | Inventory  | Status                     |
|---------|------------|----------------------------|
| EU      | REACH Reg. | all ingredients are listed |

##### Legend

REACH Reg. REACH registered substances

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

| Abbr.      | Descriptions of used abbreviations  |
|------------|---|
| ADR        | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)                         |
| ATE        | Acute Toxicity Estimate   |
| CAS        | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)  |
| Ceiling-C  | Ceiling value   |
| DGR        | Dangerous Goods Regulations (see IATA/DGR)  |
| EC No      | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)     |
| EH40/2005  | EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> ) |
| EINECS     | European Inventory of Existing Commercial Chemical Substances   |
| ELINCS     | European List of Notified Chemical Substances   |
| EmS        | Emergency Schedule  |
| Eye Dam.   | Seriously damaging to the eye   |
| Eye Irrit. | Irritant to the eye   |
| GB REACH   | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)  |
| GHS        | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations   |
| IATA       | International Air Transport Association   |
| IATA/DGR   | Dangerous Goods Regulations (DGR) for the air transport (IATA)  |
| ICAO       | International Civil Aviation Organization   |
| ICAO-TI    | Technical instructions for the safe transport of dangerous goods by air   |
| IMDG       | International Maritime Dangerous Goods Code   |
| IMDG-Code  | International Maritime Dangerous Goods Code   |
| index No   | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008  |
| Met. Corr. | Substance or mixture corrosive to metals  |
| NLP        | No-Longer Polymer   |
| PBT        | Persistent, Bioaccumulative and Toxic   |
| ppm        | Parts per million   |
| REACH      | Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| RID        | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)               |
| Skin Corr. | Corrosive to skin   |

## Sodium hydroxide Standard volumetric solution 1 M (1 N)

Version number: GHS 1.0

Date of compilation: 2023-09-05

| Abbr.       | Descriptions of used abbreviations       |
|-------------|--|
| Skin Irrit. | Irritant to skin                         |
| STEL        | Short-term exposure limit                |
| TWA         | Time-weighted average                    |
| VOC         | Volatile Organic Compounds               |
| vPvB        | Very Persistent and very Bioaccumulative |
| WEL         | Workplace exposure limit                 |

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.  
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text                                     |
|------|--|
| H290 | May be corrosive to metals.              |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage.               |

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information is intended to give you guidelines for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and disposal. The information is not transferable to other products. Insofar as the product is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise.