

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Sodium hydroxide pellets p.A.
CAS number 1310-73-2
Article number LC-4994

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses General use
Uses advised against Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin.

1.3 Details of the supplier of the safety data sheet

NeoFroxx GmbH
Marie-Curie-Str. 3
D-64683 Einhausen
Germany

Telephone: +49 (6251) 989 24 - 0
e-mail: info@neofroxx.com
Website: neofroxx.com

e-mail (competent person) info@neofroxx.com (neoFroxx GmbH)

1.4 Emergency telephone number

Poison centre			
Country	Name	Postal code/city	Telephone
United Kingdom	National Poisons Information Service		111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Labelling

- Signal word danger

- Pictograms

GHS05, GHS07



- Hazard statements

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.

- Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P390 Absorb spillage to prevent material damage.
P501 Dispose of contents/container to industrial combustion plant.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Sodium hydroxide pellets p.A.

Identifiers

CAS No 1310-73-2
EC No 215-185-5
Index No 011-002-00-6
(GB CLP)

Specific Conc. Limits	M-Factors	ATE	Exposure route
Skin Corr. 1A; H314: $C \geq 5\%$ Skin Corr. 1B; H314: $2\% \leq C < 5\%$ Skin Irrit. 2; H315: $0.5\% \leq C < 2\%$ Eye Dam. 1; H318: $C \geq 2\%$ Eye Irrit. 2; H319: $0.5\% \leq C < 2\%$	-	325 mg/kg	oral

Molecular formula HNaO

Molar mass 40 g/mol

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Appropriate containment techniques

Neutralisation techniques.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

- Handling of incompatible substances or mixtures

Do not mix with acids.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- Ventilation requirements

Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
GB	dust		WEL		10					i	EH40/2005
GB	dust		WEL		4					r	EH40/2005
GB	sodium hydroxide	1310-73-2	WEL				2				EH40/2005

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
i	inhalable fraction
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit); measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

In the case of wanting to use the gloves again, clean them before taking off and air them well.

- Type of material

NBR: acrylonitrile-butadiene rubber

- Material thickness

min. 0,11 mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Respiratory protection

Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	white
Odour	characteristic
Melting point/freezing point	323 °C
Boiling point or initial boiling point and boiling range	1,388 °C at 101.3 kPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant

Solubility(ies)

Water solubility	≥520 kg/m ³ at 25 °C
------------------	---------------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	not relevant (inorganic)
---	--------------------------

Vapour pressure	not determined
-----------------	----------------

Density and/or relative density

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Density	2.13 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available

Particle characteristics	no data available
--------------------------	-------------------

9.2 Other information

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". It's a reactive substance. Substance or mixture corrosive to metals.

10.2 Chemical stability

Hygroscopic solid.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Humidity.

10.5 Incompatible materials

Acids, Metals, Light metals (e.g. aluminium and magnesium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5. Hydrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

- Acute toxicity estimate (ATE)

Oral 325 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID	UN 1823
IMDG-Code	UN 1823
ICAO-TI	UN 1823

14.2 UN proper shipping name

ADR/RID	SODIUM HYDROXIDE, SOLID
IMDG-Code	SODIUM HYDROXIDE, SOLID
ICAO-TI	Sodium hydroxide, solid

14.3 Transport hazard class(es)

ADR/RID	8
IMDG-Code	8
ICAO-TI	8

14.4 Packing group

ADR/RID	II
IMDG-Code	II
ICAO-TI	II

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code	C6
Danger label(s)	8






Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Emergency Action Code	2W
Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information	
Classification code	C6
Danger label(s)	8
	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Hazard identification No	80
International Maritime Dangerous Goods Code (IMDG) - Additional information	
Marine pollutant	-
Danger label(s)	8
	
Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-B
Stowage category	A
Segregation group	18 - Alkalis
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information	
Danger label(s)	8
	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Sodium hydroxide pellets p.A.		a)	

Legend

a) Indicative list of the main pollutants

Regulation on persistent organic pollutants (POP)

not listed

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

National inventories

Country	Inventory	Status
EU	REACH Reg.	substance is listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.1	Registration number (REACH): 01-2119457892-27-xxxx		yes
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1	The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.	The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.	yes
3.1	REACH Reg. No: 01-2119457892-27-xxxx		yes
3.1		Index No (GB CLP): change in the listing (table)	yes
5.1	Suitable extinguishing media: Water, Foam, ABC-powder	Suitable extinguishing media: Water, Foam, Alcohol resistant foam, ABC-powder	yes
5.2	Special hazards arising from the substance or mixture	Special hazards arising from the substance or mixture: Substance or mixture corrosive to metals.	yes
7.2		- Corrosive conditions: Store in corrosive resistant container with a resistant inner liner.	yes
8.2	Hand protection: Wear protective gloves.	Hand protection: In the case of wanting to use the gloves again, clean them before taking off and air them well.	yes
9.1	Appearance		yes
9.1	Other safety parameters		yes
9.1		Lower and upper explosion limit: not determined	yes
9.1	Evaporation rate: not determined		yes
9.1	Explosion limits of dust clouds: not determined		yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: not relevant	yes
9.1	Solubility(ies): not determined	Solubility(ies)	yes
9.1		Water solubility: $\geq 520 \text{ kg/m}^3$ at 25 °C	yes
9.1	- n-octanol/water (log KOW): this information is not available	Partition coefficient n-octanol/water (log value): not relevant (inorganic)	yes
9.1		Density and/or relative density	yes
9.1	Vapour density: this information is not available		yes
9.1	Viscosity: not relevant (solid matter)		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
9.1		Relative vapour density: information on this property is not available	yes
9.1		Particle characteristics: no data available	yes
9.2	other information: there is no additional information	Other information	yes
9.2		Information with regard to physical hazard classes: there is no additional information	yes
9.2		Other safety characteristics: there is no additional information	yes
10.1	Reactivity: Concerning incompatibility: see below "Condi- tions to avoid" and "Incompatible materials".	Reactivity: Concerning incompatibility: see below "Condi- tions to avoid" and "Incompatible materials". It's a reactive substance. Substance or mixture cor- rosive to metals.	yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.	Acute toxicity: Harmful if swallowed.	yes
11.1		- Acute toxicity estimate (ATE): change in the listing (table)	yes
11.2		Information on other hazards: There is no additional information.	yes
12.1	Toxicity: Harmful to aquatic life with long lasting effects.	Toxicity: Shall not be classified as hazardous to the aquatic environment.	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes
12.6	Endocrine disrupting potential: Not listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.1	UN number: 1823	UN number or ID number	yes
14.1		ADR/RID: UN 1823	yes
14.1		IMDG-Code: UN 1823	yes
14.1		ICAO-TI: UN 1823	yes
14.2	UN proper shipping name: SODIUM HYDROXIDE, SOLID	UN proper shipping name	yes
14.2		ADR/RID: SODIUM HYDROXIDE, SOLID	yes
14.2		IMDG-Code: SODIUM HYDROXIDE, SOLID	yes

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.2		ICAO-TI: Sodium hydroxide, solid	yes
14.3	Class: 8 (corrosive substances)		yes
14.3		ADR/RID: 8	yes
14.3		IMDG-Code: 8	yes
14.3		ICAO-TI: 8	yes
14.4	Packing group: II (substance presenting medium danger)	Packing group	yes
14.4		ADR/RID: II	yes
14.4		IMDG-Code: II	yes
14.4		ICAO-TI: II	yes
14.7	UN number: 1823		yes
14.7	Proper shipping name: SODIUM HYDROXIDE, SOLID		yes
14.7	Class: 8		yes
14.7	Packing group: II		yes
14.7		Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information	yes
14.7		Classification code: C6	yes
14.7		Danger label(s): 8	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Excepted quantities (EQ): E2	yes
14.7		Limited quantities (LQ): 1 kg	yes
14.7		Transport category (TC): 2	yes
14.7		Hazard identification No: 80	yes
14.7	UN number: 1823		yes

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
14.7	Proper shipping name: SODIUM HYDROXIDE, SOLID		yes
14.7	Class: 8		yes
14.7	Packing group: II		yes
14.7	UN number: 1823		yes
14.7	Proper shipping name: Sodium hydroxide, solid		yes
14.7	Class: 8		yes
14.7	Packing group: II		yes
15.1	Restrictions according to REACH, Annex XVII: not listed		yes
15.1	List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list: not listed		yes
15.1		Regulation on persistent organic pollutants (POP): not listed	yes
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU. Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes
16		List of relevant phrases (code and full text as stated in section 2 and 3): change in the listing (table)	yes

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds

Sodium hydroxide pellets p.A.

Version number: GHS 2.0
Replaces version of: 2020-09-30 (GHS 1)

Revision: 2023-12-01

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. The information is intended to give you guidelines for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and disposal. The information is not transferable to other products. Insofar as the product is mixed, blended or processed with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise.